

# TEST REPORT

No. :

Date : May 31, 2022

Page: 1 of 4

CUSTOMER NAME:

ADDRESS:

Sample Name : GYPSUM BOARD

Manufacturer :

Above information and sample(s) was/were submitted and confirmed by the client. SGS, however, assumes no responsibility to verify the accuracy, adequacy and completeness of the sample information provided by client.

\*\*\*\*\*

SGS Ref. No. :

Date of Receipt : May 17, 2022

Testing Start Date : May 17, 2022

Testing End Date : May 27, 2022

Test result(s) : For further details, please refer to the following page(s)  
(Unless otherwise stated the results shown in this test report refer only to the sample(s) tested)

Signed for  
SGS-CSTC Standards Technical  
Services Co., Ltd Xiamen Branch  
Testing Center

Civi Huang  
Authorized signatory



SGS-CSTC Standards Technical Services Co., Ltd.  
Xiamen Branch Testing Center Commercial Construction Material Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.31 Xianghong Road, Xiang'an Torch Industrial Zone, Xiamen, Fujian Province, China. 361101 t (86-592) 5765857 f (86-592) 5765380 www.sgs.com.cn  
中国·福建·厦门·火炬(翔安)产业区翔虹路31号 邮编:361101 t (86-592) 5765857 f (86-592) 5765380 e [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

# TEST REPORT

No. : **SGS/2022/05310001**

Date : **May 31, 2022**

Page: **2 of 4**

**Sample Information:**

Sample description: GYPSUM BOARD

Product size: 2400mm×1200mm×13mm, see the photo(s)

**Test Method:**

AS/NZS 2588:2018 Gypsum plasterboard

Lab environment condition: (23±2)°C, (50±5)%RH

**Test Results:**

Work size: 2400mm×1200mm×13mm

No.	Test items	Test methods	Test condition	Requirements in AS/NZS 2588:2018 & client's requirement	Test results	Conclusion
1	Thickness	AS/NZS 2588:2018 Clause 6.1 & Annex B	Specimen: 2400mm×1200mm, 3pcs	Average value: 13mm±0.5mm Thickness range shall not exceed 0.8mm for standard grade plasterboard and 1.2mm for fire-resistant grade plasterboard.	Average value: 13.15mm Maximum value: 13.28mm Minimum value: 13.08mm	Pass
2	Width	AS/NZS 2588:2018 Clause 6.2		Average value: 1200mm±3mm	Average value: 1200mm	Pass
3	Length	AS/NZS 2588:2018 Clause 6.3		Average value: 2400mm±5mm	Average value: 2400mm	Pass
4	Squareness	AS/NZS 2588:2018 Clause 6.4		±3mm	Deviation range: 0.0mm~+1.0mm	Pass
5	Edge finish (Recessed edge)	AS/NZS 2588:2018 Clause 7		40.0mm ≤ l ≤ 60.0mm 0.8mm ≤ h ≤ 2.3mm	Average value: l: 48.09mm h: 1.77mm (see Figure 1)	Pass



SGS-CSTC Xiamen Torch Technical Services Co., Ltd.  
Xiamen Torch Testing Center Commercial Construction Material Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.31 Xianghong Road, Xiang'an Torch Industrial Zone, Xiamen, Fujian Province, China. 361101 t (86-592) 5765857 f (86-592) 5765380 www.sgs.com.cn  
中国·福建·厦门·火炬(翔安)产业区翔虹路31号 邮编:361101 t (86-592) 5765857 f (86-592) 5765380 e sgs.china@sgs.com

## TEST REPORT

No. :

Date : May 31, 2022

Page: 3 of 4

No.	Test items	Test methods	Test condition	Requirements in AS/NZS 2588:2018& client's requirement	Test results	Conclusion
6	Edge hardness	AS/NZS 2588:2018 Annex D	Specimen: 150mm×150mm, 3pcs Loading speed: 25mm/min	≥ 45N	Average value: 77.4N	Pass
7	Bond strength	AS/NZS 2588:2018 Annex F	Specimen: 100mm×100mm Loading speed: 50mm/min	≥ 250N	Average value: 507.5N	Pass
8	Humidified deflection	AS/NZS 2588:2018 Annex G (Method A: cantilever method)	Specimen: 100mm×550mm, 3pcs Testing condition: (32±2) °C, (90±3)% RH Test time: 24h Overhanging: 450mm	Spanning board 450mm: ≤ 50mm	Average deflection: 27.00mm	Pass



SGS-CSTC Xiang'an Torch Industrial Zone  
Xiamen Branch Testing Center Commercial Construction Material Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.31 Xianghong Road, Xiang'an Torch Industrial Zone, Xiamen, Fujian Province, China. 361101 t (86-592) 5765857 f (86-592) 5765380 www.sgs.com.cn  
中国·福建·厦门·火炬(翔安)产业区翔虹路31号 邮编:361101 t (86-592) 5765857 f (86-592) 5765380 e sgs.china@sgs.com

# TEST REPORT

No. :  
 Date : May 31, 2022  
 Page: 4 of 4

Figure 1: Edge finish (Dimension in millimetres)



(a) Recessed edge

Original Sample Photo:



\*\*\*\*\* End of report\*\*\*\*\*



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.31 Xianghong Road, Xiang'an Torch Industrial Zone, Xiamen, Fujian Province, China. 361101 t (86-592) 5765857 f (86-592) 5765380 www.sgs.com.cn  
 中国·福建·厦门·火炬(翔安)产业区翔虹路31号 邮编:361101 t (86-592) 5765857 f (86-592) 5765380 e [sgs.china@sgs.com](mailto:sgs.china@sgs.com)